



# Product Datasheet

www.1-light.eu

10 Office & Kitchen>CCT V LED Linear Profiles Medium Size

38150A/W/V



CCT and Power variable 40W UGR19 Linear system with diffuser for surface or suspended installation, ideal for offices.

Complete with power variable driver

Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions




## Gallery



## Accessories




050170



050170C/W

Related items



050170D/W/V



38150E/W

Physical Specification

|                   |                                       |
|-------------------|---------------------------------------|
| Item Group        | 10 Office & Kitchen                   |
| Family            | CCT V LED Linear Profiles Medium Size |
| Order Code        | 38150A/W/V                            |
| Colour            | White                                 |
| Material          | Aluminium                             |
| Shape             | Rectangular                           |
| Length            | 1200mm                                |
| Width             | 35mm                                  |
| Height            | 70mm                                  |
| Surface Ceiling   | Yes                                   |
| Suspended Ceiling | Yes                                   |
| Indoor            | Yes                                   |
| Adjustable        | No                                    |

Electrical Characteristics

|                  |             |
|------------------|-------------|
| Gear             | Built In    |
| Fitting + Driver |             |
| Input Voltage    | 220-240V    |
| 50 Hz            | Yes         |
| 60 Hz            | Yes         |
| Safety Class     |             |
| Power(Watts)     | 20W-30W-40W |
| IP Rating        | IP20        |

|              |
|--------------|
| Light Source |
| Dimmable     |
| Cable Length |
| F Mark       |

|                                                                                     |
|-------------------------------------------------------------------------------------|
| LED built in                                                                        |
| No                                                                                  |
| 300cm                                                                               |
|  |

Fitting

|              |
|--------------|
| Input Type   |
| IP Rating    |
| Light Source |
| LED Type     |

|                  |
|------------------|
| Constant Current |
| IP20             |
| LED built in     |
| SMD              |

Gear

|               |
|---------------|
| Gear Type     |
| Input Voltage |
| 50 Hz         |
| 60 Hz         |
| IP Rating     |
| Dimmable      |
| Protection    |

|            |
|------------|
| Led Driver |
| 220-240V   |
| Yes        |
| Yes        |
| IP20       |
| No         |
| 0          |

Illumination Data

|                      |
|----------------------|
| Colour Temperature   |
| Lumen Output         |
| Light Efficiency     |
| CRI                  |
| Illumination Diagram |
| UGR                  |

|                                                                                       |
|---------------------------------------------------------------------------------------|
| 3000K-4000K-5000K                                                                     |
| 3400lm (40W)                                                                          |
| 85lm/W                                                                                |
| 90                                                                                    |
|  |
| 19                                                                                    |

Packing Info

|            |
|------------|
| Box Weight |
|------------|

|         |
|---------|
| 2.000kg |
|---------|

|            |  |
|------------|--|
| Pcs/Carton |  |
| Barcode    |  |
| HS Code    |  |

|               |
|---------------|
| 12            |
| 5291889082255 |
| 9405413990    |

Certification & Warranty

|          |
|----------|
| Warranty |
|----------|

|         |
|---------|
| 3 years |
|---------|

switch to  
**one light!**

