


10 Office & Kitchen>CCT V LED Linear Profiles Medium Size

38150BU/W/V



CCT and Power variable 40W UGR17 Linear system with with 48 LED spots and 25W uplight for suspended installation, ideal for offices.

Complete with 2 x power variable drivers.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions




Gallery



Accessories




050170



050170C/W

Related items



38150E/W

Physical Specification

Item Group	10 Office & Kitchen
Family	CCT V LED Linear Profiles Medium Size
Order Code	38150BU/W/V
Colour	White
Material	Aluminium
Shape	Rectangular
Length	1300mm
Width	35mm
Height	70mm
Suspended Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	20W-30W-40W + 16W-20W-25W
IP Rating	IP20
Light Source	LED built in

Dimmable	No
Cable Length	300cm
F Mark	

Fitting

Input Type	Constant Current
IP Rating	IP20
Light Source	LED built in
LED Type	SMD
LED Number	48

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
IP Rating	IP20
Dimmable	No
Protection	0

Illumination Data

Colour Temperature	3000K-4000K-5000K
Lumen Output	3800lm (40W) / 1800lm (20W)
Light Efficiency	95lm/W / 90lm/W
CRI	90
Beam Angle	34°/120°
Illumination Diagram	
Dark Light	Yes
UGR	17

Packing Info

Box Weight	2.620kg
Pcs/Carton	12
Barcode	5291889082514
HS Code	9405413990

Certification & Warranty

Warranty	3 years
----------	---------

switch to
one light!

