

10 Office & Kitchen>CCT V LED Linear Profiles Medium Size

38150C/B/V



CCT and Power variable 40W UGR19 Linear system with diffuser for surface or suspended installation, ideal for offices.

Complete with power variable driver

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions




Gallery



Accessories



050170



050170C/B

Related items



38150E/B

Physical Specification

Item Group	10 Office & Kitchen
Family	CCT V LED Linear Profiles Medium Size
Order Code	38150C/B/V
Colour	Black
Material	Aluminium
Shape	Rectangular
Length	1200mm
Width	35mm
Height	70mm
Surface Ceiling	Yes
Suspended Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	20W-30W-40W
IP Rating	IP20

Light Source
Dimmable
Cable Length
F Mark

LED built in
No
300cm


Fitting

Input Type
IP Rating
Light Source
LED Type
LED Number

Constant Current
IP20
LED built in
SMD
24Leds + Diffuser

Gear

Gear Type
Input Voltage
50 Hz
60 Hz
IP Rating
Dimmable
Protection

Led Driver
220-240V
Yes
Yes
IP20
No
0

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Illumination Diagram
UGR

3000K-4000K-5000K
3400lm (40w)
85lm/W
90

19

Packing Info

Box Weight

2.000kg

Pcs/Carton

12

Barcode

5291889082538

HS Code

9405413990

Certification & Warranty

Warranty

3 years

switch to
one light!

