



15 Decorative>LED Pendant Rings CCT V

62144NB/BBS/V



50W CCT Variable LED Pendant, IP20, suitable for residential and commercial applications.

Complete with TRIAC dimmable driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

|                   |                         |
|-------------------|-------------------------|
| Item Group        | 15 Decorative           |
| Family            | LED Pendant Rings CCT V |
| Order Code        | 62144NB/BBS/V           |
| Colour            | Brushed Brass           |
| Material          | Aluminium               |
| Shape             | Circular                |
| Diameter          | 610mm                   |
| Suspended Ceiling | Yes                     |
| Indoor            | Yes                     |
| Adjustable        | No                      |

Electrical Characteristics

| Gear             | Built In                                                                              |
|------------------|---------------------------------------------------------------------------------------|
| Fitting + Driver |                                                                                       |
| Input Voltage    | 220-240V                                                                              |
| 50 Hz            | Yes                                                                                   |
| 60 Hz            | Yes                                                                                   |
| Safety Class     |    |
| Power(Watts)     | 50W                                                                                   |
| IP Rating        | IP20                                                                                  |
| Light Source     | LED built in                                                                          |
| Dimmable         | Yes                                                                                   |
| Dimmer type      | Triac                                                                                 |
| F Mark           |  |

|               |                                                                                       |
|---------------|---------------------------------------------------------------------------------------|
| Fitting       |                                                                                       |
| Input Type    | Constant Current                                                                      |
| Input Current | 1200mA                                                                                |
| IP Rating     | IP20                                                                                  |
| Light Source  | LED built in                                                                          |
| LED Type      | SMD                                                                                   |
| F Mark        |  |

|               |                                                                                       |
|---------------|---------------------------------------------------------------------------------------|
| Gear          |                                                                                       |
| Gear Type     | Led Driver                                                                            |
| Input Voltage | 220-240V                                                                              |
| 50 Hz         | Yes                                                                                   |
| 60 Hz         | Yes                                                                                   |
| Output        | 1200mA                                                                                |
| IP Rating     | IP20                                                                                  |
| Safety Class  |  |

Illumination Data

|                      |                                                                                     |
|----------------------|-------------------------------------------------------------------------------------|
| Colour Temperature   | 2700K-3000K-4000K                                                                   |
| Lumen Output         | 4250lm                                                                              |
| Light Efficiency     | 85lm/W                                                                              |
| CRI                  | 90                                                                                  |
| Illumination Diagram |  |

Packing Info

|            |               |
|------------|---------------|
| Box Weight | 3.100kg       |
| Pcs/Carton | 1             |
| Barcode    | 5291889083467 |
| HS Code    | 9405413990    |

Certification & Warranty

|          |         |
|----------|---------|
| Warranty | 3 years |
|----------|---------|

switch to  
one light!

