

15 Decorative>LED Circle Rings

62156C/BBS/W



65W LED Pendant , IP20 suitable for residential and commercial application.

Complete with 1600mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

|                   |                  |
|-------------------|------------------|
| Item Group        | 15 Decorative    |
| Family            | LED Circle Rings |
| Order Code        | 62156C/BBS/W     |
| Colour            | Brushed Brass    |
| Material          | Aluminium        |
| Shape             | Circular         |
| Height            | 3000mm           |
| Diameter          | 1270mm           |
| Suspended Ceiling | Yes              |
| Indoor            | Yes              |
| Adjustable        | No               |

| Gear             | Built In                                                                              |
|------------------|---------------------------------------------------------------------------------------|
| Fitting + Driver |                                                                                       |
| Input Voltage    | 220-240V                                                                              |
| 50 Hz            | Yes                                                                                   |
| 60 Hz            | Yes                                                                                   |
| Safety Class     |    |
| Power(Watts)     | 65W                                                                                   |
| IP Rating        | IP20                                                                                  |
| Light Source     | LED built in                                                                          |
| Dimmable         | No                                                                                    |
| F Mark           |  |

|               |                                                                                       |
|---------------|---------------------------------------------------------------------------------------|
| Fitting       |                                                                                       |
| Input Type    | Constant Current                                                                      |
| Input Current | 1600mA                                                                                |
| Voltage       | 36V                                                                                   |
| Power(Watts)  | 56W                                                                                   |
| IP Rating     | IP20                                                                                  |
| Light Source  | LED built in                                                                          |
| LED Type      | SMD 2835                                                                              |
| LED Brand     | Bridgelux                                                                             |
| F Mark        |  |

|               |            |
|---------------|------------|
| Gear          |            |
| Gear Type     | Led Driver |
| Input Voltage | 220-240V   |
| 50 Hz         | Yes        |
| 60 Hz         | Yes        |
| Power(Watts)  | 44,8-57,6W |

|                  |                                                                                     |
|------------------|-------------------------------------------------------------------------------------|
| Power Factor     | 0,9                                                                                 |
| Constant Current | Yes                                                                                 |
| 1600mA           | 28-36V                                                                              |
| IP Rating        | IP20                                                                                |
| Safety Class     |  |
| Dimmable         | No                                                                                  |
| Housing Material | Plastic                                                                             |
| Output Terminal  | Cable                                                                               |
| Brand            | BOKE                                                                                |

Illumination Data

|                      |                                                                                       |
|----------------------|---------------------------------------------------------------------------------------|
| Colour Temperature   | 3000K                                                                                 |
| Lumen Output         | 4300lm                                                                                |
| Light Efficiency     | 66,15lm/W                                                                             |
| CRI                  | 80                                                                                    |
| Illumination Diagram |  |

Packing Info

|               |               |
|---------------|---------------|
| Box Weight    | 4.200kg       |
| Pcs/Carton    | 1             |
| Carton Weight | 5,7Kg         |
| Barcode       | 5291889072386 |
| HS Code       | 9405413990    |

Certification & Warranty

switch to  
**one light!**

