




12 Wall & Ceiling LED>Linear Outdoor Series Double Sided

67526B1/AN/W



2x6W Wall light, IP65.

Complete with 300mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	12 Wall & Ceiling LED
Family	Linear Outdoor Series Double Sided
Order Code	67526B1/AN/W
Colour	Anthracite
Material	Die Cast
Shape	Rectangular
Length	222mm
Width	70mm
Height	50mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes

Adjustable
IK Rating

No
7

Electrical Characteristics

Gear

Built In

Fitting + Driver

Input Voltage
50 Hz
60 Hz
Safety Class
Power(Watts)
IP Rating
Light Source
Dimmable
F Mark

220-240V
Yes
Yes

2x6W
IP65
LED built in
No


Fitting

Input Type
Input Current
Voltage
Power(Watts)
IP Rating
Light Source
LED Type
LED Brand

Constant Current
300mA
35,12V
10,54W
IP65
LED built in
SMD 3030
Osram

Gear

Gear Type
Input Voltage
50 Hz

Led Driver
220-240V
Yes

60 Hz
Power(Watts)
Power Factor
Constant Current
300mA
IP Rating
Safety Class
Dimmable
Housing Material
Brand
Protection

Yes
7,2-12W
0,9
Yes
24-40V
IP20

No
Plastic
Eaglerise
0

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Illumination Diagram

3000K
720lm
60lm/W
80


Packing Info

Box Weight
Pcs/Carton
Barcode
HS Code

1.000kg
12
5291889075776
9405413990

Certification & Warranty

switch to
one light!

one
LIGHT

