Product Datasheet

www.1-light.eu

12 Wall & Ceiling LED>Linear Outdoor Series Double Sided

67526B2/AN/W



2x10W Wall light, IP65.

Complete with 500mA driver.

Complies with standard EN60598-1 and any other specific standards.

IP65 IK07 80 CRI CE

Downloads

IES

Dimensions

Physical Specification

Item Group	12 Wall & Ceiling LED
Family	Linear Outdoor Series Double Sided
Order Code	67526B2/AN/W
Colour	Anthracite
Material	Die Cast
Shape	Rectangular
Length	380mm
Width	76mm
Height	66mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes

Adjustable	No
IK Rating	7

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	2x10W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	

Fitting

Input Type	Constant Current
Input Current	500mA
Voltage	34,8V
Power(Watts)	17,4W
IP Rating	IP65
Light Source	LED built in
LED Type	SMD 3030
LED Brand	Osram

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes

60 Hz	Yes
Power(Watts)	14-21W
Power Factor	0,9
Constant Current	Yes
500mA	28-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Brand	Eaglerise
Protection	0

Illumination Data

Colour Temperature	3000K
Lumen Output	1200lm
Light Efficiency	60lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Weight	1.950kg
Pcs/Carton	6
Barcode	5291889075790
HS Code	9405413990

Certification & Warranty

Warranty	2 years

switch to
one light!