



12 Wall & Ceiling LED>The Backlight Range

67532/B/W



15W LED Wall and Ceiling Dark light.

Complete with 190mA TRIAC dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	12 Wall & Ceiling LED
Family	The Backlight Range
Order Code	67532/B/W
Colour	Black
Material	Aluminium
Diffuser Material	PC
Shape	Circular
Height	55mm
Diameter	250mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes

IK Rating	6
-----------	---

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	15W
IP Rating	IP65
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
F Mark	

Fitting	
Input Type	Constant Current
Input Current	190mA
Voltage	70V
Power(Watts)	13,3W
IP Rating	IP65
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Hongli

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes

60 Hz
Power(Watts)
Power Factor
Constant Current
Output
Voltage Range
IP Rating
Safety Class
Dimmable
Housing Material
Output Terminal

Yes
12,35-14,25W
0,9
Yes
65-75V
190mA
IP65

Yes
Plastic
Cable

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Illumination Diagram
Dark Light

3000K
1100lm
73,33lm/W
80

Yes

Packing Info

Box Weight
Pcs/Carton
Barcode
HS Code

1.260kg
12
5291889076100
9405413990

Certification & Warranty

switch to
one light!

one
LIGHT

