



12 Wall & Ceiling LED>Outdoor Ceiling Cylinders Die cast

67138C/B/W



6W Outdoor Ceiling Cylinder, IP54.

Complete with driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

|                 |                                    |
|-----------------|------------------------------------|
| Item Group      | 12 Wall & Ceiling LED              |
| Family          | Outdoor Ceiling Cylinders Die cast |
| Order Code      | 67138C/B/W                         |
| Colour          | Black                              |
| Material        | Die Cast                           |
| Shape           | Circular                           |
| Height          | 105mm                              |
| Diameter        | 80mm                               |
| Surface Ceiling | Yes                                |
| Indoor          | Yes                                |
| Outdoor         | Yes                                |

| Gear             | Built In                                                                              |
|------------------|---------------------------------------------------------------------------------------|
| Fitting + Driver |                                                                                       |
| Input Voltage    | 100-240V                                                                              |
| 50 Hz            | Yes                                                                                   |
| 60 Hz            | Yes                                                                                   |
| Safety Class     |    |
| Power(Watts)     | 6W                                                                                    |
| IP Rating        | IP54                                                                                  |
| Light Source     | LED built in                                                                          |
| Dimmable         | No                                                                                    |
| F Mark           |  |

|               |                  |
|---------------|------------------|
| Fitting       |                  |
| Input Type    | Constant Current |
| Input Current | 500mA            |
| Voltage       | 10V              |
| Power(Watts)  | 5W               |
| IP Rating     | IP54             |
| Light Source  | LED built in     |
| LED Type      | COB              |
| LED Brand     | Edison           |

|               |            |
|---------------|------------|
| Gear          |            |
| Gear Type     | Led Driver |
| Input Voltage | 100-240V   |
| 50 Hz         | Yes        |
| 60 Hz         | Yes        |
| Power(Watts)  | 3-6W       |
| Power Factor  | 0,9        |

|                  |
|------------------|
| Constant Current |
| 500mA            |
| IP Rating        |
| Safety Class     |
| Dimmable         |
| Ambient Temp     |
| Operating Temp   |
| Brand            |

|                                                                                     |
|-------------------------------------------------------------------------------------|
| Yes                                                                                 |
| 6-12V                                                                               |
| IP20                                                                                |
|  |
| No                                                                                  |
| 55°C                                                                                |
| 70°C                                                                                |
| Eaglerise                                                                           |

Illumination Data

|                      |
|----------------------|
| Colour Temperature   |
| Lumen Output         |
| Light Efficiency     |
| CRI                  |
| Beam Angle           |
| Illumination Diagram |

|                                                                                       |
|---------------------------------------------------------------------------------------|
| 3000K                                                                                 |
| 440lm                                                                                 |
| 73,33lm/W                                                                             |
| 80                                                                                    |
| 35°                                                                                   |
|  |

Packing Info

|            |
|------------|
| Box Length |
| Box Width  |
| Box Height |
| Box Weight |
| Pcs/Carton |
| Barcode    |
| HS Code    |

|               |
|---------------|
| 12cm          |
| 9cm           |
| 15cm          |
| 0.450kg       |
| 18            |
| 5291889060017 |
| 9405413990    |

Certification & Warranty

switch to  
**one light!**

