

21 Emergency Lights>Emergency LED Plafo

67218E/W/V



15W Emergency CCT Variable LED plafo light, IP65, ideal for both indoor and outdoor installation.

Complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Related items



67218R/B

Physical Specification

Item Group	21 Emergency Lights
Family	Emergency LED Plafo
Order Code	67218E/W/V
Colour	White
Material	Plastic
Diffuser Material	Plastic
Shape	Circular

Height	95mm
Diameter	340mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes
Adjustable	No
IK Rating	10

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	15W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	180mA
Voltage	78V
Power(Watts)	14,04W
IP Rating	IP65
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Sanan

F Mark



Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Constant Current

Yes

IP Rating

IP20

Safety Class



Dimmable

No

Battery Capacity

2000mAh

Battery Voltage

3.2V

Operation Time

3hrs

Illumination Data

Colour Temperature

3000K-4000K-6500K

Lumen Output

1600lm

Light Efficiency

106,67lm/W

CRI

80

Illumination Diagram



Packing Info

Box Weight

1.450kg

Pcs/Carton

6

Barcode

5291889074212

HS Code

9405114090

Certification & Warranty

switch to
one light!

