



16W Emergency LED plafo light, IP65, ideal for both indoor and outdoor installation.

Complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group
Family
Order Code
Colour
Material
Diffuser Material
Shape
Length
Width
Height
Surface Ceiling
Indoor

21 Emergency Lights
Emergency LED Plafo
67282ANE/G/W
Grey
Plastic
PC
Rectangular
295mm
295mm
80mm
Yes
Yes

Outdoor
Adjustable
IK Rating

Yes
No
8

Electrical Characteristics

Gear
Fitting + Driver
Input Voltage
50 Hz
60 Hz
Safety Class
Power(Watts)
IP Rating
Light Source
Dimmable
F Mark

Built In
220-240V
Yes
Yes

16W
IP65
LED built in
No


Fitting
Input Type
Input Current
IP Rating
Light Source
LED Type
LED Brand
F Mark

Constant Current
300mA
IP65
LED built in
SMD 2835
Epistar


Gear
Gear Type
Input Voltage
50 Hz

Led Driver
220-240V
Yes

60 Hz
Constant Current
500mA
IP Rating
Safety Class
Dimmable
Housing Material
Output Terminal
Brand

Yes
Yes
19-32V
IP20

No
Plastic
Connector
Eaglerise

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Illumination Diagram

3000K
1280lm
80lm/W
80


Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

31cm
31cm
8,5cm
1.620kg
10
5291889051732
9405114090

Certification & Warranty

switch to
one light!

