



13 Plafo>Outdoor Slim LED Plafo Aluminium

67362/AN/W



20W LED slim plafo, IP54, ideal for both indoor and outdoor installation.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	13 Plafo
Family	Outdoor Slim LED Plafo Aluminium
Order Code	67362/AN/W
Colour	Anthracite
Material	Die Cast
Shape	Circular
Height	46mm
Diameter	238mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes
Adjustable	No

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	20W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	30-42V
IP Rating	IP54
Light Source	LED built in
LED Type	SMD 3014
LED Brand	Edison
LED Number	264
F Mark	

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	15-21W

Power Factor	0,9
Constant Current	Yes
500mA	30-42V DC
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Eaglerise

Illumination Data

Colour Temperature	3000K
Lumen Output	1600lm
Light Efficiency	75lm/W
CRI	80
Beam Angle	120°
Illumination Diagram	

Packing Info

Box Length	25,5cm
Box Width	25,5cm
Box Height	6,5cm
Box Weight	1.025kg
Pcs/Carton	8
Barcode	5291889039310
HS Code	9405413990

Certification & Warranty

switch to
one light!

