



13 Plafo>Outdoor Slim LED Plafo Aluminium

67363/W/W



30W LED slim plafo, IP54, ideal for both indoor and outdoor installation.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

|                 |                                  |
|-----------------|----------------------------------|
| Item Group      | 13 Plafo                         |
| Family          | Outdoor Slim LED Plafo Aluminium |
| Order Code      | 67363/W/W                        |
| Colour          | White                            |
| Material        | Die Cast                         |
| Shape           | Circular                         |
| Height          | 49mm                             |
| Diameter        | 300mm                            |
| Surface Ceiling | Yes                              |
| Indoor          | Yes                              |
| Outdoor         | Yes                              |
| Adjustable      | No                               |

| Gear             | Built In                                                                              |
|------------------|---------------------------------------------------------------------------------------|
| Fitting + Driver |                                                                                       |
| Input Voltage    | 220-240V                                                                              |
| 50 Hz            | Yes                                                                                   |
| 60 Hz            | Yes                                                                                   |
| Safety Class     |    |
| Power(Watts)     | 30W                                                                                   |
| IP Rating        | IP54                                                                                  |
| Light Source     | LED built in                                                                          |
| Dimmable         | No                                                                                    |
| F Mark           |  |

|               |                                                                                       |
|---------------|---------------------------------------------------------------------------------------|
| Fitting       |                                                                                       |
| Input Type    | Constant Current                                                                      |
| Input Current | 700mA                                                                                 |
| Voltage       | 40V                                                                                   |
| Power(Watts)  | 28W                                                                                   |
| IP Rating     | IP54                                                                                  |
| Light Source  | LED built in                                                                          |
| LED Type      | SMD 3014                                                                              |
| LED Brand     | Edison                                                                                |
| LED Number    | 299                                                                                   |
| F Mark        |  |

|               |            |
|---------------|------------|
| Gear          |            |
| Gear Type     | Led Driver |
| Input Voltage | 220-240V   |
| 50 Hz         | Yes        |
| 60 Hz         | Yes        |

|                  |                                                                                     |
|------------------|-------------------------------------------------------------------------------------|
| Power(Watts)     | 20-30W                                                                              |
| Power Factor     | 0,9                                                                                 |
| Constant Current | Yes                                                                                 |
| 700mA            | 28-43V                                                                              |
| IP Rating        | IP20                                                                                |
| Safety Class     |  |
| Dimmable         | No                                                                                  |
| Housing Material | Plastic                                                                             |
| Output Terminal  | Cable                                                                               |
| Brand            | Eaglerise                                                                           |

Illumination Data

|                      |                                                                                       |
|----------------------|---------------------------------------------------------------------------------------|
| Colour Temperature   | 3000K                                                                                 |
| Lumen Output         | 2500lm                                                                                |
| Light Efficiency     | 83,33lm/W                                                                             |
| CRI                  | 80                                                                                    |
| Beam Angle           | 120°                                                                                  |
| Illumination Diagram |  |

Packing Info

|            |               |
|------------|---------------|
| Box Length | 25,5cm        |
| Box Width  | 25,5cm        |
| Box Height | 6,5cm         |
| Box Weight | 1.516kg       |
| Pcs/Carton | 6             |
| Barcode    | 5291889040781 |
| HS Code    | 9405413990    |

Certification & Warranty

switch to  
**one light!**

