



13 Plafo>Outdoor Slim LED Plafo Aluminium

67363A/AN/W



30W LED slim plafo, IP54, ideal for both indoor and outdoor installation.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	13 Plafo
Family	Outdoor Slim LED Plafo Aluminium
Order Code	67363A/AN/W
Colour	Anthracite
Material	Die Cast
Shape	Rectangular
Length	300mm
Width	300mm
Height	49mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes

Adjustable

No

Electrical Characteristics

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

30W

IP Rating

IP54

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

700mA

Voltage

40V

Power(Watts)

28W

IP Rating

IP54

Light Source

LED built in

LED Type

SMD 3014

LED Brand

Edison

LED Number

299

F Mark



Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz
60 Hz
Power(Watts)
Power Factor
Constant Current
700mA
IP Rating
Safety Class
Dimmable
Housing Material
Output Terminal
Brand

Yes
Yes
20-30W
0,9
Yes
28-43V
IP20

No
Plastic
Cable
Eaglerise

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram

3000K
2500lm
83,33lm/W
80
120°


Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

25,5cm
25,5cm
6,5cm
1.733kg
6
5291889040804
9405413990

Warranty

2 years

switch to
one light!

