

13 Plafo>The IP65 Flat Plafo

67498/AN/V



20W LED plafo light 3CCT, IP65, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group	13 Plafo
Family	The IP65 Flat Plafo
Order Code	67498/AN/V
Colour	Anthracite
Material	Plastic
Diffuser Material	PC
Shape	Circular

Height	62mm
Diameter	320mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes
Adjustable	No
IK Rating	6

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	20W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	38V
Power(Watts)	19W
IP Rating	IP65
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar

LED Number
F Mark

240


Gear

Gear Type
Input Voltage
50 Hz
60 Hz
Power(Watts)
Power Factor
Constant Current
500mA
IP Rating
Safety Class
Dimmable
Housing Material
Output Terminal
Brand

Led Driver
220-240V
Yes
Yes
12,5-21W
0,9
Yes
25-42V
IP20

No
Plastic
Connector
Eaglerise

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Illumination Diagram

3000K-4000K-6500K
1300lm
65lm/W
80


Packing Info

Box Weight
Pcs/Carton
Barcode

1.460kg
10
5291889075066

HS Code

9405114090

Certification & Warranty

Warranty

2 years

switch to
one light!

