



19 Garden & Underwater>The Garden Cylinder Spots Constant Current

67538B/B/W



6,5W outdoor LED spot, IP65.

Requires 700mA driver.


Supplied with spike.

Complies with standard EN60598-1 and any other specific standards.



Downloads

Dimensions



Physical Specification

|                      |                                            |
|----------------------|--------------------------------------------|
| Item Group           | 19 Garden & Underwater                     |
| Family               | The Garden Cylinder Spots Constant Current |
| Order Code           | 67538B/B/W                                 |
| Colour               | Black                                      |
| Material             | Aluminium                                  |
| Shape                | Circular                                   |
| Height               | 85mm                                       |
| Diameter             | 36mm                                       |
| Surface Floor/Ground | Yes                                        |
| Outdoor              | Yes                                        |
| Adjustable           | 1 Direction                                |

Fitting

|               |                                                                                       |
|---------------|---------------------------------------------------------------------------------------|
| Input Type    | Constant Current                                                                      |
| Input Current | 700mA                                                                                 |
| Safety Class  |    |
| Power(Watts)  | 6,5W                                                                                  |
| IP Rating     | IP65                                                                                  |
| Light Source  | LED built in                                                                          |
| LED Type      | COB                                                                                   |
| Cable Length  | 150cm                                                                                 |
| F Mark        |  |

Illumination Data

|                      |                                                                                       |
|----------------------|---------------------------------------------------------------------------------------|
| Colour Temperature   | 3000K                                                                                 |
| Lumen Output         | 520lm                                                                                 |
| Light Efficiency     | 80lm/W                                                                                |
| CRI                  | 90                                                                                    |
| Beam Angle           | 36°                                                                                   |
| Illumination Diagram |  |
| Dark Light           | Yes                                                                                   |

Packing Info

|            |               |
|------------|---------------|
| Box Weight | 0.408kg       |
| Pcs/Carton | 24            |
| Barcode    | 5291889085539 |
| HS Code    | 9405413990    |

Certification & Warranty

switch to  
**one light!**

one  
LIGHT

