




18 Wall Recessed & Inground>The Inground Midi Series Natural Aluminium

69015B/AL/W



3W LED inground, aluminium, for path illumination, IK08, IP67.

Requires 24V DC driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

|                      |                                            |
|----------------------|--------------------------------------------|
| Item Group           | 18 Wall Recessed & Inground                |
| Family               | The Inground Midi Series Natural Aluminium |
| Order Code           | 69015B/AL/W                                |
| Colour               | Aluminium                                  |
| Material             | Natural Aluminium                          |
| Shape                | Circular                                   |
| Height               | 62mm                                       |
| Diameter             | 56mm                                       |
| Cutout Hole Diameter | 52mm                                       |
| Inground             | Yes                                        |
| Depth Required       | 90mm+300mm drainage                        |
| Indoor               | Yes                                        |

|            |
|------------|
| Outdoor    |
| Adjustable |
| IK Rating  |

|     |
|-----|
| Yes |
| No  |
| 8   |

Electrical Characteristics

Fitting

|               |
|---------------|
| Input Type    |
| Input Voltage |
| Safety Class  |
| Power(Watts)  |
| IP Rating     |
| Light Source  |
| Cable Length  |
| F Mark        |

|                                                                                       |
|---------------------------------------------------------------------------------------|
| Constant Voltage                                                                      |
| 24V DC                                                                                |
|    |
| 3W                                                                                    |
| IP67                                                                                  |
| LED built in                                                                          |
| 200cm                                                                                 |
|  |

Illumination Data

|                      |
|----------------------|
| Colour Temperature   |
| Lumen Output         |
| Light Efficiency     |
| CRI                  |
| Illumination Diagram |

|                                                                                       |
|---------------------------------------------------------------------------------------|
| 3000K                                                                                 |
| 60lm                                                                                  |
| 20lm/W                                                                                |
| 90                                                                                    |
|  |

Packing Info

|            |
|------------|
| Box Weight |
| Pcs/Carton |
| Barcode    |
| HS Code    |

|               |
|---------------|
| 0.350kg       |
| 32            |
| 5291889077602 |
| 9405413990    |

Warranty

2 years

switch to  
**one light!**

