



18 Wall Recessed & Inground>The COB Inground Range Stainless steel

69040/W



10W COB LED inground, IP67, stainless steel 316, for path illumination.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	18 Wall Recessed & Inground
Family	The COB Inground Range Stainless steel
Order Code	69040/W
Colour	Stainless Steel
Material	Stainless Steel 316
Diffuser Material	Glass
Shape	Circular
Height	185mm
Diameter	125mm
Cutout Hole Diameter	106mm
Inground	Yes
Depth Required	185mm+300mm drainage

Indoor
Outdoor
Adjustable
IK Rating

Yes
Yes
No
10

Electrical Characteristics

Gear

Built In

Fitting + Driver

Input Voltage
50 Hz
60 Hz
Safety Class
Power(Watts)
IP Rating
Light Source
Dimmable
Cable Length
F Mark

220-240V
Yes
Yes

10W
IP67
LED built in
No
50cm


Fitting

Input Type
Input Current
Safety Class
IP Rating
Light Source
LED Type
LED Brand

Constant Current
500mA

IP67
LED built in
COB
Edison

Gear

Gear Type

Led Driver

Input Voltage
50 Hz
60 Hz
Power Factor
Constant Current
500mA
IP Rating
Safety Class
Dimmable
Housing Material
Output Terminal
Brand

220-240V
Yes
Yes
0,5
Yes
0
IP20

No
Plastic
Connector
Eaglerise

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram

3000K
700lm
70lm/W
80
40°


Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

12cm
12cm
19cm
1.900kg
6
5291889043799
9405413990

Warranty

2 years

switch to
one light!

