



18 Wall Recessed & Inground>The Dark Light Inground Range 24V DC

69056B/W



7W COB LED inground, IP67.

Requires 24V driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89015V

Physical Specification

Item Group	18 Wall Recessed & Inground
Family	The Dark Light Inground Range 24V DC
Order Code	69056B/W
Colour	Aluminium
Material	Natural Aluminium
Diffuser Material	Glass

Shape
Height
Diameter
Cutout Hole Diameter
Inground
Depth Required
Indoor
Outdoor
IK Rating

Circular
73mm
70mm
60mm
Yes
100mm + 300mm drainage
Yes
Yes
8

Electrical Characteristics

Fitting

Input Type
Input Voltage
Safety Class
Power(Watts)
IP Rating
Light Source
LED Type
LED Brand
Cable Length
F Mark

Constant Voltage
24V DC

7W
IP67
LED built in
COB
Prolight
200cm


Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle

3000K
560lm
80lm/W
90
38°

Illumination Diagram	
Dark Light	



Yes

Packing Info

Box Weight	
Pcs/Carton	
Barcode	
HS Code	

0.483kg

36

5291889064282

9405413990

Certification & Warranty

Warranty	
----------	--

3 years

switch to
one light!

one
LIGHT

