Product Datasheet

www.1-light.eu

02 Recessed Spots Fixed LED>The COB Curved Reflector IP65 Range

10107DB/B/W



6,5W COB LED recessed spot suitable for indoor and outdoor installation, IP65.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89008A



89008AT

Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The COB Curved Reflector IP65 Range
Order Code	10107DB/B/W
Colour	Black
Material	Aluminium
Shape	Circular

Height	64mm
Diameter	80mm
Cutout Hole Diameter	60mm
Recessed Ceiling	Yes
Depth Required	80mm
Indoor	Yes
Outdoor	Yes
Adjustable	No

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	700mA
Safety Class	
Power(Watts)	6,5W
IP Rating	IP65
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	500lm
Light Efficiency	76m/W
CRI	90
Beam Angle	36°
Illumination Diagram	

Dark Light	Yes

Packing Info

Box Length	9cm
Box Width	9cm
Box Height	6,5cm
Box Weight	0.252kg
Pcs/Carton	50
Barcode	5291889081180
HS Code	9405413990

Certification & Warranty

Warranty	5 years

switch to
one light!

