
Product Datasheet

www.1-light.eu

05 Downlights Fixed>The IP54 & IP65 SMD Dark Light Range CCT V

10120FD/W/V



20W CCT Variable Dark Light SMD LED recessed downlight ideal for bathroom installation, IP65.

Complete with non-dimmable driver.


Complies with standard EN60598-1 and any other specific standards.

IP65 IK07 CCT V 90 CRI DARK LIGHT CE

Downloads

IES CE

Dimensions



Physical Specification

Item Group	05 Downlights Fixed
Family	The IP54 & IP65 SMD Dark Light Range CCT V
Order Code	10120FD/W/V
Colour	White
Material	Die Cast
Shape	Circular
Height	65mm
Diameter	175mm
Cutout Hole Diameter	166mm
Recessed Ceiling	Yes
Depth Required	85mm
Indoor	Yes

Outdoor	Yes
Adjustable	No
IK Rating	7

Electrical Characteristics

Gear	External-Included

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	20W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	

Fitting

Input Type	Constant Current
Safety Class	
IP Rating	IP65
Light Source	LED built in
LED Type	SMD
F Mark	

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes

Output	500mA
IP Rating	IP20
Safety Class	III
Dimmable	No

Illumination Data

Colour Temperature	3000K-4000K-5000K
Lumen Output	2000lm
Light Efficiency	100lm/W
CRI	90
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Weight	0.570kg
Pcs/Carton	20
Barcode	5291889082750
HS Code	9405413990

Certification & Warranty

Warranty	5 years

switch to
one light!

