Product Datasheet

www.1-light.eu

04 Recessed Spots Adjustable LED>The Interchangeable Rings Range

11107K/B/W

Aluminium



6,5W COB LED adjustable recessed spot with interchargeable rings.

Ring must be ordered separately.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.

IP20 90 CRI ADJUSTABLE DIMMABLE DARK LIGHT QUICK FIX

Downloads

IES

Dimensions



Must be ordered separately



050102/B



050102/BS



050102/CU



050102/W



89008A



89008AT

Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The Interchangeable Rings Range Aluminium
Order Code	11107K/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	73mm
Diameter	85mm
Cutout Hole Diameter	76mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Adjustable	1 Direction

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	700mA
Voltage	9,3V
Safety Class	III
Power(Watts)	6,5W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Cree
LED Number	1
Cable Length	40cm
F Mark	F

Illumination Data

Colour Temperature	3000K
Lumen Output	550lm
Light Efficiency	84lm/W
CRI	90
Beam Angle	35°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	9,5cm
Box Width	9,5cm
Box Height	8,5cm
Box Weight	0.300kg
Pcs/Carton	30
Barcode	5291889054177
HS Code	9405413990

Certification & Warranty

Warranty	5 years

switch to
one light!

