Product Datasheet

www.1-light.eu

04 Recessed Spots Adjustable LED>The IP44 COB Shop & Hotel Range

11112E/W/W



12W LED Dark Light Recessed adjustable spot, IP44.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.

IP44 90 CRI ADJUSTABLE DIMMABLE DARK LIGHT QUICK FIX CE


Downloads


IES

Dimensions



Gallery





Must be ordered separately



89015A

Related items



89015AT

Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The IP44 COB Shop & Hotel Range
Order Code	11112E/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	93mm
Diameter	100mm
Cutout Hole Diameter	87mm
Recessed Ceiling	Yes
Depth Required	105mm
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	12W
IP Rating	IP44
Light Source	LED built in
LED Type	COB

LED Brand	Epistar
LED Number	1
Cable Length	40cm
F Mark	F

Illumination Data

Colour Temperature	3000K
Lumen Output	1100lm
Light Efficiency	91,67lm/W
CRI	90
Beam Angle	40°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	10,5cm
Box Width	10,5cm
Box Height	10,5cm
Box Weight	0.316kg
Pcs/Carton	50
Barcode	5291889047322
HS Code	9405413990

Certification & Warranty

Warranty	5 years

switch to
one light!

