Product Datasheet

www.1-light.eu

04 Recessed Spots Adjustable LED>The IP54 COB Outdoor/Bathroom Range **11207WD/W/W**



2x6,5W LED Dark Light Recessed adjustable spot, IP54.

Requires 2x700mA drivers.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89008A



89008AT

Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The IP54 COB Outdoor/Bathroom Range
Order Code	11207WD/W/W
Colour	White
Material	Die Cast
Shape	Rectangular
Length	168mm
Width	90mm
Height	83mm
Cutout Hole Width	160mm
Cutout Hole Length	83mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Outdoor	Yes
Adjustable	1 Direction

Electrical Characteristics

Fitting	
Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	2x6,5W
IP Rating	IP54
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux
LED Number	2

Cable Length	40cm
F Mark	F

Illumination Data

Colour Temperature	3000K
Lumen Output	2x600lm
Light Efficiency	92lm/W
CRI	90
Beam Angle	36°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	17,5cm
Box Width	9,5cm
Box Height	10cm
Box Weight	0.675kg
Pcs/Carton	16
Barcode	5291889050704
HS Code	9405413990

Certification & Warranty

Warranty	5 years

switch to
one light!

