Product Datasheet

www.1-light.eu

13 Wall & Ceiling LED>The Chill Out LED Cylinders Dimmable

12107KA/B/W



7W AC LED Chill Out LED Cylinder, IP20.

Complies with standard EN60598-1 and any other specific standards.

IP20 80 CRI TRIAC DIMMABLE CE

Downloads

IES

Dimensions



Must be ordered separately



050106/B



050106/BS



050106/W

Physical Specification

Item Group	13 Wall & Ceiling LED
Family	The Chill Out LED Cylinders Dimmable
Order Code	12107KA/B/W
Colour	Black
Material	Aluminium
Shape	Rectangular

Length	60mm
Width	60mm
Height	65mm
Surface Ceiling	Yes
Indoor	Yes

Electrical Characteristics

Gear	No

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	7W
IP Rating	IP20
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	500lm
Light Efficiency	71,42lm/W
CRI	80
Beam Angle	35°
Illumination Diagram	

Packing Info

Box Length	8,5cm
Box Width	8,5cm
Box Height	8cm
Box Weight	0.340kg
Pcs/Carton	30
Barcode	5291889054337
HS Code	9405413990

Certification & Warranty

Warranty	2 years

switch to
one light!

