Product Datasheet

www.1-light.eu

12 Wall & Ceiling LED>COB Ceiling Cylinders

12108XA/W/W



Surface dimmable cylinder with COB LED.

Complete with 350mA constant current dimmable driver.


Complies with standard EN60598-1 and any other specific standards.

IP20 90 CRI TRIAC DIMMABLE CE

Downloads

IES

Dimensions



Physical Specification

Item Group	12 Wall & Ceiling LED
Family	COB Ceiling Cylinders
Order Code	12108XA/W/W
Colour	White
Material	Aluminium
Shape	Rectangular
Length	80mm
Width	80mm
Height	100mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	8W
IP Rating	IP20
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
F Mark	

Fitting

Input Type	Constant Current
Input Current	350mA
Voltage	20V
Safety Class	
Power(Watts)	7W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Citizen

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes

Power(Watts)	4,2-8,4W
Power Factor	0,9
Constant Current	Yes
350mA	12-24V
IP Rating	IP20
Safety Class	
Housing Material	Plastic
Brand	AIDimming

Illumination Data

Colour Temperature	3000K
Lumen Output	640lm
Light Efficiency	80lm/W
CRI	90
Beam Angle	36°
Illumination Diagram	

Packing Info

Box Weight	0.572kg
Pcs/Carton	36
Barcode	5291889064718
HS Code	9405413990

Certification & Warranty

Warranty	3 years

switch to
one light!

