Product Datasheet

www.1-light.eu

10 Office & Kitchen>UGR17 Recessed LED Linear Profiles

38145BR/W/V



CCT and Power variable 40W UGR19 Recessed linear with 48pcs LED spots, ideal for offices.

Complete with power variable driver.


Complies with standard EN60598-1 and any other specific standards.

IP20 CCT V PV 90 CRI DARK LIGHT UGR17 CE

Downloads

IES

Dimensions



Gallery



Physical Specification

Item Group	10 Office & Kitchen
Family	UGR17 Recessed LED Linear Profiles
Order Code	38145BR/W/V
Colour	White
Material	Aluminium
Shape	Rectangular
Length	1295mm

Width	50mm
Height	55mm
Cutout Hole Width	1280mm
Cutout Hole Length	37mm
Recessed Ceiling	Yes
Depth Required	80mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	20W-30W-40W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting

Input Type	Constant Current
IP Rating	IP20
Light Source	LED built in
LED Type	SMD

Gear

Gear Type	Led Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
IP Rating	IP20
Dimmable	No

Illumination Data

Colour Temperature	3000K-4000K-5000K
Lumen Output	4000lm (40W)
Light Efficiency	100lm/W
CRI	90
Beam Angle	34°
Illumination Diagram	
Dark Light	Yes
UGR	17

Packing Info

Box Weight	1.792kg
Pcs/Carton	12
Barcode	5291889082637
HS Code	9405413990

Certification & Warranty

Warranty	3 years

Weee Directive	Yes

switch to
one light!

