Product Datasheet

www.1-light.eu

09 Tracks & Magnetic>Magnetic Linear Lights DALI

42100BAL/B/V



16W DALI DT8 CCT Tunable LED Linear light for magnetic profile.

Suitable for MINI and MIDI magnetic profiles.

Complies with standard EN60598-1 and any other specific standards.


IP20 DALI CCT V MINI MIDI 90 CRI DALI DIMMABLE

CE

Downloads

IES CE

Dimensions



Gallery



Physical Specification

Item Group	09 Tracks & Magnetic
Family	Magnetic Linear Lights DALI
Order Code	42100BAL/B/V
Colour	Black
Material	Aluminium
Diffuser Material	PC
Shape	Rectangular

Length	600mm
Width	24mm
Height	29mm
Surface Ceiling	Yes
Surface Wall	Yes
Track mounted	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	48V DC
Safety Class	III
Power(Watts)	16W
IP Rating	IP20
Light Source	LED built in
F Mark	F

Illumination Data

Colour Code	3000K-4000K DT8 Tunable
Lumen Output	1280lm
Light Efficiency	80lm/W
CRI	90
Beam Angle	120°
Illumination Diagram	

Packing Info

Box Weight	0.482kg

Pcs/Carton	40
Barcode	5291889086871
HS Code	9405413990

Certification & Warranty

Warranty	3 years

switch to
one light!

one LIGHT

