Product Datasheet

www.1-light.eu

09 Tracks & Magnetic>Magnetic Adjustable Linear Spots

42106BL/B/W



22W DALI adjustable LED Linear magnetic track light, ideal for shops and showrooms.

Adjustable 1 direction in MAXI profile. Adjustable 2 directions in MINI & P&P.

Suitable for MINI, MAXI & P&P magnetic profiles.


Complies with standard EN60598-1 and any other specific standards.

IP20 DALI MINI MAXI P&P 90 CRI ADJUSTABLE DALI DIMMABLE CE

Downloads

IES

Dimensions



Gallery



Physical Specification

Item Group	09 Tracks & Magnetic
Family	Magnetic Adjustable Linear Spots
Order Code	42106BL/B/W
Colour	Black
Material	Aluminium
Shape	Rectangular

Length	270mm
Width	34mm
Height	95mm
Track mounted	Yes
Indoor	Yes
Adjustable	1 Direction

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	48V DC
Safety Class	
Power(Watts)	22W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 3535
LED Brand	Bridgelux
LED Number	10

Illumination Data

Colour Temperature	3000K
Lumen Output	1760lm
Light Efficiency	80lm/W
CRI	90
Beam Angle	38º
Illumination Diagram	

Packing Info

Box Weight	0.813kg

Pcs/Carton	20
Barcode	5291889072188
HS Code	9405413990

Certification & Warranty

Warranty	3 years

switch to
one light!

one LIGHT

