Product Datasheet

www.1-light.eu

09 Tracks & Magnetic>Magnetic Spots DALI

42108AL/B/V



2x6W DALI DT8 CCT Tunable LED spot for magnetic profiles.


Suitable for MINI, MIDI, MAXI and P&P magnetic profiles.

Complies with standard EN60598-1 and any other specific standards.

IP20 CCT V DALI MINI MIDI MAXI P&P 90 CRI ADJUSTABLE DALI DIMMABLE CE

Downloads

Dimensions



Gallery



Physical Specification

Item Group	09 Tracks & Magnetic
Family	Magnetic Spots DALI
Order Code	42108AL/B/V
Colour	Black
Material	Aluminium
Shape	Circular
Height	72mm

Diameter	35mm
Surface Ceiling	Yes
Surface Wall	Yes
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	48V DC
Safety Class	III
Power(Watts)	2x6W
IP Rating	IP20
Light Source	LED built in
F Mark	F

Illumination Data

Colour Code	3000K-4000K DT8 Tunable
Lumen Output	2x480lm
Light Efficiency	80lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	

Packing Info

Box Weight	0.480kg
Pcs/Carton	20
Barcode	5291889086475

HS Code	9405413990

Certification & Warranty

Warranty	3 years

switch to
one light!

one LIGHT

