
Product Datasheet

www.1-light.eu

09 Tracks & Magnetic>Magnetic Linear Spots

42112AAL/W/V



12W DALI DT8 CCT Tunable LED Linear light for magnetic profile.

Suitable for MINI and MIDI magnetic profiles.

Complies with standard EN60598-1 and any other specific standards.


IP20 CCT V DALI MINI MIDI 90 CRI DALI DIMMABLE

CE

Downloads

IES

Dimensions



Gallery



Physical Specification

Item Group	09 Tracks & Magnetic
Family	Magnetic Linear Spots
Order Code	42112AAL/W/V
Colour	White
Material	Aluminium
Shape	Rectangular
Length	246mm

Width	24mm
Height	29mm
Surface Ceiling	Yes
Surface Wall	Yes
Track mounted	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Fitting	
Input Type	Constant Voltage
Input Voltage	48V DC
Safety Class	
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
F Mark	

Illumination Data

Colour Code	3000K-4000K DT8 Tunable
Lumen Output	960lm
Light Efficiency	80lm/W
CRI	90
Beam Angle	50°
Illumination Diagram	

Packing Info

Box Weight	0.258kg
Pcs/Carton	50

Barcode	5291889086925
HS Code	9405413990

Certification & Warranty

Warranty	3 years

switch to
one light!

one LIGHT

