Product Datasheet

www.1-light.eu

09 Tracks & Magnetic>Magnetic Adjustable Linear Spots Plug & Play / CCT V & DALI

42112PBL/W/V



24W DALI DT8 CCT Tunable LED Plug & Play 48V DC linear light.

Max 15m/driver. Max 250W/circuit.

Complies with standard EN60598-1 and any other specific standards.

IP20 CCT V DALI P&P 90 CRI ADJUSTABLE DALI DIMMABLE

CE

Downloads

IES

Dimensions



Must be ordered separately




42004PA/W



42004PB/W



42004PC/W



42004PD/W



42004PE/W



42004PF/W



42004PG/W



42004PH/W



42004PJ/W



42004PK/W



42004PL/W



42004PM/W



42004PN/W



42004PP/W



42004PR/W

Physical Specification

Item Group	09 Tracks & Magnetic
Family	Magnetic Adjustable Linear Spots Plug & Play / CCT V & DALI
Order Code	42112PBL/W/V
Colour	White
Material	Aluminium
Shape	Rectangular
Length	620mm
Width	27mm
Height	38mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes
Adjustable	1 Direction

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	48V DC
Safety Class	III
Power(Watts)	24W
IP Rating	IP20
Light Source	LED built in

Illumination Data

Colour Code	3000K-4000K Tunable
Lumen Output	1920lm
Light Efficiency	80lm/W
CRI	90

Beam Angle	50°
Illumination Diagram	

Packing Info

Box Weight	1.040kg
Pcs/Carton	20
Barcode	5291889084761
HS Code	9405413990

Certification & Warranty

Warranty	3 years

switch to
one light!

