Product Datasheet

www.1-light.eu

09 Tracks & Magnetic>Magnetic Spots CCT V

42122A/B/V



5W CCT Variable LED spot for magnetic profiles.

Suitable for MINI and P&P magnetic profiles.


Complies with standard EN60598-1 and any other specific standards.

IP20 CCT V MINI P&P 90 CRI ADJUSTABLE CE

Downloads

IES

Dimensions



Gallery



Physical Specification

Item Group	09 Tracks & Magnetic
Family	Magnetic Spots CCT V
Order Code	42122A/B/V
Colour	Black
Material	Aluminium
Shape	Circular
Height	52mm

Diameter	28mm
Surface Ceiling	Yes
Surface Wall	Yes
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	48V DC
Safety Class	III
Power(Watts)	5W
IP Rating	IP20
Light Source	LED built in
F Mark	F

Illumination Data

Colour Temperature	3000K-3500K-4000K
Lumen Output	400lm
Light Efficiency	80lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	

Packing Info

Pcs/Carton	30
Barcode	5291889085638
HS Code	9405413990

Certification & Warranty

Warranty	3 years

switch to
one light!

