Product Datasheet

www.1-light.eu

09 Tracks & Magnetic>Magnetic Spots CCT V

42122A/B/W



3W spot for magnetic track, ideal for shops and showrooms.

Suitable for MINI and P&P magnetic profiles.


Complies with standard EN60598-1 and any other specific standards.

IP20 MINI P&P 90 CRI ADJUSTABLE CE

Downloads

IES

Dimensions



Gallery



Physical Specification

Item Group	09 Tracks & Magnetic
Family	Magnetic Spots CCT V
Order Code	42122A/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	52mm

Diameter	28mm
Surface Wall	Yes
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	48V DC
Safety Class	III
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 3535
LED Brand	Bridgelux

Illumination Data

Colour Temperature	3000K
Lumen Output	240lm
Light Efficiency	80lm/W
CRI	90
Beam Angle	38º
Illumination Diagram	

Packing Info

Box Weight	0.163kg
Pcs/Carton	30
Barcode	5291889079491

HS Code	9405413990

Certification & Warranty

Warranty	3 years
Weee Directive	Yes

switch to
one light!

