Product Datasheet

www.1-light.eu

09 Tracks & Magnetic>Magnetic Pendants

42130A/B/V



5W CCT Variable suspended LED fitting for magnetic profiles.

Suitable for MINI, MIDI, MAXI and P&P magnetic profiles.

Complies with standard EN60598-1 and any other specific standards.

IP20 CCT V MINI MIDI MAXI P&P 90 CRI DARK LIGHT CE

Downloads

IES

Dimensions



Physical Specification

Item Group	09 Tracks & Magnetic
Family	Magnetic Pendants
Order Code	42130A/B/V
Colour	Black
Material	Aluminium
Shape	Circular
Height	300mm
Diameter	30mm
Track mounted	Yes
Indoor	Yes

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	48V DC
Safety Class	
Power(Watts)	5W
IP Rating	IP20
Light Source	LED built in
F Mark	

Illumination Data

Colour Temperature	3000K-3500K-4000K
Lumen Output	350lm
Light Efficiency	70lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Weight	0.383kg
Pcs/Carton	30
Barcode	5291889086628
HS Code	9405413990

Certification & Warranty

Warranty	3 years

switch to
one light!

