Product Datasheet

www.1-light.eu

09 Tracks & Magnetic>Magnetic Pendants DALI

42142L/B/V



10W DALI DT8 CCT Tunable suspended LED fitting for magnetic profiles.

Suitable for MINI, MIDI, MAXI and P&P magnetic profiles.

Complies with standard EN60598-1 and any other specific standards.

IP20 CCT V DALI MINI MIDI MAXI P&P 90 CRI ADJUSTABLE DALI DIMMABLE CE

Downloads

IES CE

Dimensions



Physical Specification

Item Group	09 Tracks & Magnetic
Family	Magnetic Pendants DALI
Order Code	42142L/B/V
Colour	Black
Material	Aluminium
Shape	Circular
Height	150mm
Diameter	110mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Fitting	
Input Type	Constant Voltage
Input Voltage	48V DC
Safety Class	III
Power(Watts)	10W
IP Rating	IP20
Light Source	LED built in
F Mark	F

Illumination Data

Colour Code	3000K-4000K DT8 Tunable
Lumen Output	700lm
Light Efficiency	70lm/W
CRI	90
Beam Angle	110°
Illumination Diagram	

Packing Info

Box Weight	0.625kg
Pcs/Carton	20
Barcode	5291889085799
HS Code	9405413990

Certification & Warranty

Warranty	3 years

switch to
one light!

