Product Datasheet

www.1-light.eu

09 Tracks & Magnetic>Magnetic Plafo CCT V

42146L/B/V



30W DALI DT8 CCT Tunable UGR19 LED Plafo for magnetic profiles.


Suitable for MINI and P&P magnetic profiles.

Complies with standard EN60598-1 and any other specific standards.

IP20 CCT V DALI MINI P&P 90 CRI DALI DIMMABLE UGR19 CE

Downloads

Dimensions



Gallery



Physical Specification

Item Group	09 Tracks & Magnetic
Family	Magnetic Plafo CCT V
Order Code	42146L/B/V
Colour	Black
Material	Aluminium
Shape	Circular
Height	60mm

Diameter	400mm
Surface Ceiling	Yes
Track mounted	Yes
Indoor	Yes

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	48V DC
Safety Class	III
Power(Watts)	30W
IP Rating	IP20
Light Source	LED built in
F Mark	F

Illumination Data

Colour Code	3000K-4000K DT8 Tunable
Lumen Output	2700lm
Light Efficiency	90lm/W
CRI	90
Illumination Diagram	
UGR	19

Packing Info

Box Weight	3.400kg
Pcs/Carton	1
Barcode	5291889085829
HS Code	9405413990

Certification & Warranty

Warranty	3 years

switch to
one light!

