Product Datasheet

www.1-light.eu

04 Recessed Spots Adjustable LED>The IP44 COB Shop & Hotel Range

51212E/W/W



2x12W LED Dark Light Recessed adjustable spot, IP20.

Requires 2x700mA drivers.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89015A

Related items



89015AT

Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The IP44 COB Shop & Hotel Range
Order Code	51212E/W/W
Colour	White
Material	Die Cast
Shape	Rectangular
Length	188mm
Width	100mm
Height	93mm
Cutout Hole Width	175mm
Cutout Hole Length	90mm
Recessed Ceiling	Yes
Depth Required	105mm
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	2x12W
IP Rating	IP44

Light Source	LED built in
LED Type	COB
LED Brand	Epistar
LED Number	2
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	2x1100lm
Light Efficiency	91,67lm/W
CRI	90
Beam Angle	40°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	20cm
Box Width	12,5cm
Box Height	10,5cm
Box Weight	0.690kg
Pcs/Carton	24
Barcode	5291889047360
HS Code	9405413990

Certification & Warranty

Warranty	5 years

switch to
one light!

