Product Datasheet

www.1-light.eu

13 Plafo>The LED Decorative Plafo Round CCT V

62132N/AN/V



CCT Variable 32W LED Decorative Plafo, IP20. Suitable for residential and commercial applications.

Complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.

IP20 90 CRI

Downloads

IES

Dimensions




Physical Specification

Item Group	13 Plafo
Family	The LED Decorative Plafo Round CCT V
Order Code	62132N/AN/V
Colour	Anthracite
Material	Aluminium
Shape	Circular
Height	132mm
Diameter	455mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	External-Included

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	32W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting

Input Type	Constant Current
Input Current	800mA
Voltage	40V
Power(Watts)	32W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
F Mark	

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	12W-33,6W
Power Factor	0,9

Constant Current	Yes
800mA	15-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	TRIDONIC

Illumination Data

Colour Temperature	2700K-3000K-4000K
Lumen Output	2720lm
Light Efficiency	85lm/W
CRI	90
Illumination Diagram	

Packing Info

Box Weight	2.400kg
Pcs/Carton	1
Barcode	5291889078128
HS Code	9405413990

Certification & Warranty

Warranty	3 years

Average Lifetime	36000hours L70B50
Weee Directive	Yes

switch to
one light!

