Product Datasheet

www.1-light.eu

15 Decorative>The Swirl Range Ceiling

63068/BS



30W LED Decorative ceiling light.


Complete with 24V driver.

Complies with standard EN60598-1 and any other specific standards.

IP20 80 CRI CE

Downloads

Dimensions



Physical Specification

Item Group	15 Decorative
Family	The Swirl Range Ceiling
Order Code	63068/BS
Colour	Brass
Material	Aluminium + Steel
Diffuser Material	Acrylic
Shape	Circular
Height	106mm
Diameter	560mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	30W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	30W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	30W
Power Factor	0,9

Constant Voltage	Yes
24 V	Yes
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	ANWAY

Illumination Data

Colour Temperature	3000K
Lumen Output	1500lm
Light Efficiency	50lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Weight	2.600kg
Pcs/Carton	1
Barcode	5291889066620
HS Code	9405413990

Certification & Warranty

Warranty	2 years

Weee Directive	Yes

switch to
one light!

