Product Datasheet

www.1-light.eu

08 Track Lights>Linear Box Lines CCT V

65028AT/B/V



CCT Variable LED Linear track light, high lumen output ideal for shops and showrooms.

Complete with driver.

Complies with standard EN60598-1 and any other specific standards.

IP20 90 CRI CE

Downloads

IES CE

Dimensions



Related items


40001A/B


40002A/B


40003A/B


40003R/B

Physical Specification

Item Group	08 Track Lights
Family	Linear Box Lines CCT V
Order Code	65028AT/B/V
Colour	Black
Material	Aluminium
Diffuser Material	PC
Shape	Rectangular

Length	324mm
Width	38mm
Height	55mm
Track mounted	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	⏚
Power(Watts)	24W
IP Rating	IP20
Light Source	LED built in
Dimmable	No

Fitting

Input Type	Constant Current
Input Current	600mA
IP Rating	IP20
Light Source	LED built in
LED Brand	Bridgelux

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes

60 Hz	Yes
Power Factor	0,9
Constant Current	Yes
600mA	40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector

Illumination Data

Colour Temperature	3000K-4200K-6500K
Lumen Output	2400lm
Light Efficiency	100lm/W
CRI	90
Beam Angle	90
Illumination Diagram	

Packing Info

Box Weight	0.710kg
Pcs/Carton	20
Barcode	5291889078432
HS Code	9405413990

Certification & Warranty

Warranty	5 years
Weee Directive	Yes

switch to
one light!

