Product Datasheet

www.1-light.eu

16 Hotel & Bedroom>Reading Spots

65147/B/W



LED 6W + 4W Uplight. Left bedside adjustable fitting with 2 switches, IP20.

Complete with 2x300mA drivers.


Complies with standard EN60598-1 and any other specific standards.

IP20 90 CRI ADJUSTABLE CE

Downloads

IES

Dimensions



Physical Specification

Item Group	16 Hotel & Bedroom
Family	Reading Spots
Order Code	65147/B/W
Colour	Black
Material	Aluminium
Diffuser Material	Acrylic
Shape	Rectangular
Length	220mm
Width	120mm
Height	80mm
Surface Wall	Yes
Indoor	Yes

Adjustable	1 Direction

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	6W+4W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting

Input Type	Constant Current
Input Current	300mA
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	2 x (1,5W-6W)
Power Factor	0,5
Constant Current	Yes

300mA	5-20V
IP Rating	IP20
Safety Class	
Dimmable	No
Brand	Eaglerise

Illumination Data

Colour Temperature	3000K
Lumen Output	500lm+340lm
Light Efficiency	84lm/W
CRI	90
Illumination Diagram	

Packing Info

Box Weight	0.833kg
Pcs/Carton	12
Barcode	5291889078708
HS Code	9405413990

Certification & Warranty

Warranty	2 years
Weee Directive	Yes

switch to
one light!

