Product Datasheet

www.1-light.eu

08 Track Lights>The COB Shop Range Dimmable TRIAC & DALI

65660BTL/B/C



35W DALI Dimmable COB LED track spot for standard 3 phase track. Ideal for shops and showrooms.

Complete with DALI driver.

Complies with standard EN60598-1 and any other specific standards.


IP20 DALI 90 CRI ADJUSTABLE DIMMABLE DALI DIMMABLE PUSH TO DIM

CE

Downloads

IES CE

Dimensions



Accessories



050300B/BS



050300B/W



0750B/15

Related items



40001A/B



40002A/B



40003A/B



40003R/B

Physical Specification

Item Group	08 Track Lights

Family	The COB Shop Range Dimmable TRIAC & DALI
Order Code	65660BTL/B/C
Colour	Black
Material	Aluminium
Shape	Circular
Height	100mm
Diameter	100mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	⧈
Power(Watts)	35W
IP Rating	IP20
Light Source	LED built in
Dimmable	Yes
Dimmer type	Dali, Push to Dim

Fitting

Input Type	Constant Current
Input Current	850mA
Voltage	38V
Power(Watts)	32,3W
IP Rating	IP20

Light Source	LED built in
LED Type	COB
LED Number	1

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	8.5W-34W
Power Factor	0,9
Constant Current	Yes
850mA	10V-40V
IP Rating	IP20
Safety Class	
Dimmable	Yes
Dimmer type	Dali, Push to Dim
Housing Material	Plastic
Output Terminal	Connector

Illumination Data

Colour Temperature	4000K
Lumen Output	4200lm
Light Efficiency	120lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	

Packing Info

Box Weight	1.340kg

Pcs/Carton	10
Barcode	5291889077930
HS Code	9405413990

Certification & Warranty

Warranty	5 years

switch to
one light!

one LIGHT

