Product Datasheet

www.1-light.eu

08 Track Lights>The COB Zoomable Range

65662AT/B/W



15W COB LED zoomable track spot 15°-45° with removable honeycomb.

Complete with 350mA driver.


Complies with standard EN60598-1 and any other specific standards.

IP20 90 CRI ADJUSTABLE

Downloads

IES

Dimensions



Gallery



Related items



40001A/B



40002A/B



40003A/B



40003R/B

Physical Specification

Item Group	08 Track Lights
Family	The COB Zoomable Range

Order Code	65662AT/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	45mm
Diameter	80mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	⧈
Power(Watts)	15W
IP Rating	IP20
Light Source	LED built in
Dimmable	No

Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	◇III
IP Rating	IP20
Light Source	LED built in
LED Type	COB

LED Brand	Bridgelux

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	7-14W
Power Factor	0,92
Constant Current	Yes
350mA	20-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Brand	KGP

Illumination Data

Colour Temperature	3000K
Lumen Output	1500lm
Light Efficiency	100lm/W
CRI	90
Beam Angle	15-45°
Illumination Diagram	

Packing Info

Box Weight	0.406kg
Pcs/Carton	30
Barcode	5291889076193
HS Code	9405413990

Certification & Warranty

Warranty	5 years

switch to
one light!

