Product Datasheet

www.1-light.eu

18 Wall Recessed & Inground>Indoor/Outdoor Decorative Wall Recessed Aluminium

68070/AL/W



1W 350mA LED wall recessed light, IP65, ideal for both indoor and outdoor installation.

Requires 350mA driver. Driver cannot pass through the cut-out hole.
Complete with installation box

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89004

Physical Specification

Item Group	18 Wall Recessed & Inground
Family	Indoor/Outdoor Decorative Wall Recessed Aluminium
Order Code	68070/AL/W
Colour	Aluminium
Material	Aluminium
Shape	Circular

Height	37mm
Diameter	42mm
Cutout Hole Diameter	30mm Gypsum / 35mm Concrete
Recessed wall	Yes
Depth Required	60mm
Indoor	Yes
Outdoor	Yes
Adjustable	No
IK Rating	8

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	350mA
Voltage	2,9V
Safety Class	III
Power(Watts)	1W
IP Rating	IP65
Light Source	LED built in
LED Brand	Osram
Cable Length	200cm
F Mark	F

Illumination Data

Colour Temperature	3000K
Lumen Output	50lm
Light Efficiency	50lm/W
CRI	90
Beam Angle	36°

Illumination Diagram	

Packing Info

Box Length	6,5cm
Box Width	6,5cm
Box Height	6,5cm
Box Weight	0.134kg
Pcs/Carton	100
Barcode	5291889057024
HS Code	9405413990

Certification & Warranty

Warranty	2 years

switch to
one light!

