Product Datasheet

www.1-light.eu

18 Wall Recessed & Inground>Wall Recessed Decorative

68076A/W/W



4W Glass SMD LED recessed wall light, IP65.

AC LED


Complies with standard EN60598-1 and any other specific standards.

IP65 80 CRI DARK LIGHT CE

Downloads

IES

Dimensions



Physical Specification

Item Group	18 Wall Recessed & Inground
Family	Wall Recessed Decorative
Order Code	68076A/W/W
Colour	White
Material	Glass
Shape	Rectangular
Length	190mm
Width	80mm
Height	36mm
Cutout Hole Width	115mm
Cutout Hole Length	70mm
Recessed wall	Yes

Depth Required	55mm
Indoor	Yes
Outdoor	Yes
Adjustable	No

Electrical Characteristics

Gear	No

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	4W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	270lm
Light Efficiency	67,5lm/W
CRI	80
Beam Angle	36°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Weight	0.491kg

Pcs/Carton	12
Barcode	5291889059448
HS Code	9405115000

Certification & Warranty

Warranty	2 years

switch to
one light!

