Product Datasheet

www.1-light.eu

20 Industrial & Floodlights>The Industrial LED Lights Aluminium

7056A/V



50W CCT Variable Black COB LED, IP65.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.

IP65 CCT V 80 CRI CE

Downloads

IES

Dimensions



Gallery



Physical Specification

Item Group	20 Industrial & Floodlights
Family	The Industrial LED Lights Aluminium
Order Code	7056A/V
Colour	Black
Material	Aluminium
Diffuser Material	PC
Shape	Rectangular

Length	260mm
Width	300mm
Height	115mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	50W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	

Fitting

Input Type	Constant Current
IP Rating	IP65

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes

Output	1200mA

Illumination Data

Colour Temperature	3000K-4000K-5000K
Lumen Output	4250lm
Light Efficiency	85lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Weight	2.216kg
Pcs/Carton	6
Barcode	5291889084365
HS Code	9405413990

Certification & Warranty

Warranty	3 years

switch to
one light!

