Product Datasheet

www.1-light.eu

07 Strips & Profiles>The Vertical Light Range 24V

7820V/W



Vertical light LED light strip, with SMD3014 LEDs, 60LEDs/meter, 4,8W/meter.Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 10cm (6-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.

IP20 90 CRI DIMMABLE

Downloads

IES


Dimensions




Gallery



Accessories



7822



7824

Related items



20030

Physical Specification

Item Group	07 Strips & Profiles
Family	The Vertical Light Range 24V
Order Code	7820V/W
Shape	Rectangular
Length	5m
Width	8mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	III
Power(Watts)	4,8W/m
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 3014
LED Brand	Refond
LED Number	60LEDS/m

Illumination Data

Colour Temperature	3000K
Lumen Output	450lm/m
Light Efficiency	93,75lm/W
CRI	90
Illumination Diagram	

Packing Info

Box Length	24cm
Box Width	21,5cm
Box Height	2cm
Box Weight	0.185kg
Pcs/Carton	40
Barcode	5291889059226
HS Code	9405499090

Certification & Warranty

Warranty	5 years

switch to
one light!

