
Product Datasheet

www.1-light.eu

07 Strips & Profiles>The 9,6W/m 24V

7829A/W



LED strip with SMD2835 LEDs, 70LEDs/m, 9,6W/m.

Supplied in 5 meters roll with 3M double face adhesive tape.

Can be cut every 10cm (7-LED segment).

Requires 24V DC constant voltage LED driver.


Complies with standard EN60598-1 and any other specific standards.

IP20 90 CRI DIMMABLE CE


Downloads

IES

Dimensions



Related items



20030

Physical Specification

Item Group	07 Strips & Profiles
Family	The 9,6W/m 24V
Order Code	7829A/W
Shape	Rectangular
Length	5000mm
Width	8mm
Surface Ceiling	Yes

Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	9,6W/m
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Sanan
LED Number	70LEDs/m
F Mark	


Illumination Data

Colour Temperature	3000K
Lumen Output	864lm/m
Light Efficiency	90lm/W
CRI	90
Illumination Diagram	

Packing Info

Box Weight	0.192kg
Pcs/Carton	40
Barcode	5291889078500
HS Code	9405499090

Energy Label



Energy Class	F

Certification & Warranty

Warranty	5 years

switch to
one light!

