Product Datasheet

www.1-light.eu

07 Strips & Profiles>The Outdoor RGB & RGBW Strip 24V

7830W/RGBW



Waterproof RGB+W LED light strip, with SMD5050 LEDs, 60LEDs/meter, 19,2W/meter.Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing, IP68.

Can be cut every 10cm (6-LED segment).

Avoid direct sunlight.


Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.

IP68 DIMMABLE

Downloads

Dimensions



Accessories



7827A

Related items



20036



89100LP

Physical Specification

Item Group	07 Strips & Profiles
Family	The Outdoor RGB & RGBW Strip 24V
Order Code	7830W/RGBW
Shape	Rectangular
Length	5000mm
Width	14mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes
Outdoor	Yes

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	19,2W/m
IP Rating	IP68
Light Source	LED built in
LED Type	SMD 5050
LED Brand	Refond
LED Number	60LEDs/m
F Mark	

Illumination Data

Colour Temperature	RGB+3000K
Illumination Diagram	

Packing Info

Box Length	26cm
Box Width	25cm
Box Height	2cm
Box Weight	0.642kg
Pcs/Carton	40
Barcode	5291889070306
HS Code	9405423100

Certification & Warranty

Warranty	3 years

switch to
one light!

